HISTORY OF LOG CABINS

Here's what we used...

SEENE PRIMIT Items

- · Mountain Diorama Kit
- · Ripplin' Water Kit
- Large Project Base & Backdrop

Household Items

- Cardstock, 8" x 10"
- Craft Paints & Paintbrushes
- Cutting Surface
- Disposable Cups
- · Hobby Knife
- Masking Tape
- Measuring Spoons
- Newspaper
- Pan for Water
- Ruler


Did you know?

Log Cabins have played a significant roll in the history of the United States. In the early part of the 19th century, the log cabin was a symbol of humble beginnings. The Whig party used the log cabin to show that 1840 presidential hopeful William Henry Harrison was a "man of the people." Harrison was elected the 9th President of the United States.

Fun Fact!

In 2009, the U.S. Mint distributed four newly designed one-cent pieces commemorating the 200th anniversary of

Abraham Lincoln's birth. Each design depicts an era of Lincoln's life and career. The first release is the log cabin in Kentucky where Lincoln was born.





Rock Castings

- · Mix and use Casting Plaster per Basic Use instructions.
- Pour into Rock Mold, let set for 30-40 minutes.
- To dislodge rocks, turn Mold upside down and twist slightly.



- Using a hobby knife, cut off a strip along top edge of Backdrop.
- Cut off side flaps from strip at folds. (Fig. 2a)
- This is the front panel for Project Base.



Terrain Profile

- Cut out a terrain profile from Backdrop material.
- Attach terrain profile and front panel in grooves on Project Base with Project Glue.
- Make sure label area faces forward.

NOTE: Keep remaining Backdrop material to make the log cabin.



Log Cabin Template

- Trace Log Cabin template on excess Backdrop material.
- Trace Chimney template on cardstock.
- Follow instructions on template.



- Buildings & Structures. Drybrushing and Paint Shingles
- · Add Shingles to roof.
- · Add a Stone Pattern to chimney.
- Assemble structure with Project Glue.
- Paint in desired colors and let dry. Weather cabin with the Drybrush paint technique.



Newspaper Wads


- Arrange newspaper wads on Project Base into desired terrain design.
- Temporarily place log cabin in desired area to help form terrain.
- Tape newspaper wads to hold shape.
- Set log cabin aside.



Plaster Cloth & Edging

- Cover newspaper wads with wet Plaster Cloth (3" strips), bumpy side up.
- Smooth plaster with wet fingers to fill holes. Apply 2 layers of Plaster Cloth.
- Plaster Cloth should be smooth with edge of terrain. (Fig. 7a)

NOTE: Holes in Plaster Cloth will let Realistic Water leak through to base (Step 14).



Attach and Blend Rocks

- Attach rocks to Plaster Cloth terrain.
- Poke 1" strips of wet Plaster Cloth around rock edges to fill in gaps. (Fig. 8a)
- · Let dry.

NOTE: Be sure to leave room for the log cabin



Leopard Spot

- Dilute Rock Colors.
- Paint rocks with the Leopard Spot paint technique.



Earth Undercoat

- Brush diluted Earth Undercoat over entire terrain (avoid rocks).
- · Let dry.



- Paint water area with Water Undercoat.
- Apply a continuous bead of Project Glue along pond outline. (Fig. 11a) Let dry.



@ Ground Cover

- Add ground cover to terrain. Let dry.
- Attach log cabin with Project Glue.
- Blend log cabin into terrain with Shrubs and Talus.
- Paint Backdrop material black.



Natural Armatures

- Make trees.
- Glue in place where desired.



Realistic Water


- Pour Realistic Water slowly on pond area.
- Pull out to edges with Stir Stick.
- Let dry until clear (approx. 24 hours).



Labels

Label and add signage to your project.

TIP! Make a dock from the cardboard Side Panel. Paint as desired.



- Photocopy, trace or scan template onto white paper. Cut out, then trace onto specified material.
- If needed, reduce or enlarge templates to fit your diorama.
- Each template includes basic assembly instructions and needed materials.
- Read through the corresponding project instructions for clarification on using template.
- Short dotted lines ----- indicate fold lines
- Long dotted lines — indicate score lines
- Bold, solid lines indicate cut lines


Log Cabin


History of Log Cabins

- · Copy template on white paper, then cut out.
- · Trace cutouts on listed materials.
- · Cut out with a hobby knife.
- Score log pattern (dotted lines) on walls.
- Cut along fold line on underside of roof.
- · Assemble with Project Glue.
- · Paint, as desired.

TIP!

See Buildings and Structures for assembly and painting ideas.





Roof (C)
Backdrop Material

score and fold

